

Confidential Patient Information

Name: _____ Hm Phone: _____ Wk/Cell Phone: _____
Address: _____ City: _____ St: _____ Zip: _____
Date of Birth: _____ Marital Status (circle one) M S D W Age _____
Social Security Number _____ - _____ - _____ E-mail Address _____
Occupation: _____ Employer: _____
Work Address: _____ City, St, Zip: _____
Name of Spouse: _____ # of Children: _____
Who may we thank for referring to our office: _____
Have you ever had Chiropractic care before? Yes () No () Date: _____

Is this injury/illness related to: Automobile Accident Yes () No ()
Date/Time: _____ Location: _____
Your Auto Insurance Co: _____ Phone: _____
Third Party Auto Insurance Co: _____ Phone: _____

Due to changes in health insurance fees, patient self-billing has become a much more cost effective way for you, the patient, to get reimbursement for your care. Self-billing allows us to keep our fees low so you can get the care you need without any added cost. Therefore, our policy is that all payment is due at the time of service and bills will no longer be sent to your insurance provider. Statements will be provided for individuals to submit their own bills ensuring that as your insurance provider pays for your care, they will send the reimbursement check directly to you.

All charges are due when services are rendered
Method of payment () Check () Cash () Credit Card () Care Credit

Why Chiropractic? People go to Chiropractors for a variety of reasons. Some go for symptomatic relief of pain or discomfort (Relief Care). Others are interested in having the cause of the problem as well as the symptoms corrected and relieved (Corrective Care). Your Doctor will weigh your needs and desires when recommending your treatment program.

RELIEF CARE

Relief Care is that care necessary to get rid of your symptoms or pain, but not the cause of it. It is the same as drying a floor that was getting wet from a leak, but not fixing the leak.

CORRECTIVE CARE

Corrective care differs from relief care in that its goal is to get rid of the symptoms or pain while correcting the cause of the problem. Corrective care varies in length of time, but is more lasting.


I authorize the service provider to render necessary services to me and I am responsible for all charges incurred.

Patient Signature: _____ Date: _____

Parent or Legal Guardian Authorizing Care: _____

THANK YOU FOR ALLOWING US TO SERVE YOU!

PLEASE MARK AN X ON THE DIAGRAM
BELOW WHERE YOUR PROBLEMS ARE



What hurts and how long has it hurt?

1. _____
2. _____
3. _____
4. _____

When do you think these problems originally started?

1. _____
2. _____
3. _____
4. _____

List other Chiropractic or Medical Doctors you have consulted for these conditions.

1. _____
2. _____
3. _____
4. _____

Check any of the following you have had in the last six months:

- | | |
|--|---|
| <input type="checkbox"/> Headaches | <input type="checkbox"/> Numbness |
| <input type="checkbox"/> Sinus Congestion / Allergies | <input type="checkbox"/> Frequent Nausea / Vomiting |
| <input type="checkbox"/> Vision Problems | <input type="checkbox"/> Abdominal Cramps |
| <input type="checkbox"/> Ear Aches | <input type="checkbox"/> Constipation |
| <input type="checkbox"/> Dizziness | <input type="checkbox"/> Diarrhea |
| <input type="checkbox"/> Heart Problems | <input type="checkbox"/> Poor / Excessive Appetite |
| <input type="checkbox"/> Lung Problems / Congestion | <input type="checkbox"/> Excessive Thirst |
| <input type="checkbox"/> Blood Pressure Problems | <input type="checkbox"/> Painful / Excessive Urine |
| <input type="checkbox"/> Ankle Swelling | <input type="checkbox"/> Discolored Urine |
| <input type="checkbox"/> Prostate / Sexual Dysfunction | <input type="checkbox"/> Diabetes |
| <input type="checkbox"/> Menstrual Cycle Dysfunction | <input type="checkbox"/> Cancer |

Are you pregnant? Yes No Not Sure



Brain Region Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

NAME: _____

DATE: _____

KEY:

- 0 = I never have symptoms (0% of the time)
- 1 = I rarely have symptoms (Less than 25% of the time)
- 2 = I often have symptoms (Half of the time)
- 3 = I frequently have symptoms (75% of the time)
- 4 = I always have symptoms (100% of the time)

Frontal lobe Prefrontal, Dorsolateral and Orbitofrontal (Areas 9, 10, 11, and 12)		0	1	2	3	4
1.	Difficulty with restraint and controlling impulses or desires					
2.	Emotional instability (lability)					
3.	Difficulty planning and organizing					
4.	Difficulty making decisions					
5.	Lack of motivation, enthusiasm, interest and drive (apathetic)					
6.	Difficulty getting a sound or melody out of your thoughts (Perseveration)					
7.	Constantly repeat events or thoughts with difficulty letting go					
8.	Difficulty initiating and finishing tasks					
9.	Episodes of depression					
10.	Mental fatigue					
11.	Decrease in attention span					
12.	Difficulty staying focused and concentrating for extended periods of time					
13.	Difficulty with creativity, imagination, and intuition R					
14.	Difficulty in appreciating art and music R					
15.	Difficulty with analytical thought L					
16.	Difficulty with math, number skills and time consciousness L					
17.	Difficulty taking ideas, actions, and words and putting them in a linear sequence L					

Frontal Lobe Precentral and Supplementary Motor Areas (Area 4 and 6)		0	1	2	3	4
18.	Initiating movements with your arm or leg has become more difficult					
19.	Feeling of arm or leg heaviness, especially when tired					
20.	Increased muscle tightness in your arm or leg					
21.	Reduced muscle endurance in your arm or leg					
22.	Noticeable difference in your muscle function or strength from one side to the other					
23.	Noticeable difference in your muscle tightness from one side to the other					
Frontal Lobe Broca's Motor Speech Area (Area 44 and 45)		0	1	2	3	4
24.	Difficulty producing words verbally, especially when fatigued					
25.	Find the actual act of speaking difficult at times					
26.	Notice word pronunciation and speaking fluency change at times					
Parietal Somatosensory Area and Parietal Superior Lobule (Areas 3,1,2 and 7)		0	1	2	3	4
27.	Difficulty in perception of position of limbs					
28.	Difficulty with spatial awareness when moving, laying back in a chair, or leaning against a wall					
29.	Frequently bumping body or limbs into the wall or objects accidentally					
30.	Reoccurring injury in the same body part or side of the body					
31.	Hypersensitivities to touch or pain perception					



Brain Region Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

KEY:	
0	= I never have symptoms (0% of the time)
1	= I rarely have symptoms (Less than 25% of the time)
2	= I often have symptoms (Half of the time)
3	= I frequently have symptoms (75% of the time)
4	= I always have symptoms (100% of the time)

Parietal Inferior Lobule (Area 39 and 40)		0	1	2	3	4
32.	Right/left confusion <input type="checkbox"/> L					
33.	Difficulty with math calculations <input type="checkbox"/> L					
34.	Difficulty finding words <input type="checkbox"/> L					
35.	Difficulty with writing <input type="checkbox"/> L					
36.	Difficulty recognizing symbols or shapes <input type="checkbox"/> R					
37.	Difficulty with simple drawings <input type="checkbox"/> R					
38.	Difficulty interpreting maps <input type="checkbox"/> R					
Temporal Lobe Auditory Cortex (Areas 41, 42)		0	1	2	3	4
39.	Reduced function in overall hearing					
40.	Difficulty interpreting speech with background or scatter noise					
41.	Difficulty comprehending language without perfect pronunciation					
42.	Need to look at someone's mouth when they are speaking to understand what they are saying					
43.	Difficulty in localizing sound					
44.	Dislike of left predictable rhythmic, repeated tempo and beat music <input type="checkbox"/> L					
45.	Dislike of non-predictable rhythmic with multiple instruments <input type="checkbox"/> R					
46.	Noticeable ear preference when using your phone	right, left, no preference				
Temporal Lobe Auditory Association Cortex (Area 22)		0	1	2	3	4
47.	Difficulty comprehending meaning of spoken word <input type="checkbox"/> L					
48.	Tend toward monotone speech without fluctuations or emotions <input type="checkbox"/> R					

Medial Temporal lobe and Hippocampus		0	1	2	3	4
49.	Memory less efficient					
50.	Memory loss that impacts daily activities					
51.	Confusion about dates, the passage of time, or place					
52.	Difficulty remembering events					
53.	Misplacement of things and difficulty retracing steps					
54.	Difficulty with memory of locations (addresses) <input type="checkbox"/> R					
55.	Difficulty with visual memory <input type="checkbox"/> R					
56.	Always forgetting where you put items such as keys, wallet, phone, etc. <input type="checkbox"/> R					
57.	Difficulty remembering faces <input type="checkbox"/> R					
58.	Difficulty remembering names with faces <input type="checkbox"/> L					
59.	Difficulty with remembering words <input type="checkbox"/> L					
60.	Difficulty remembering numbers <input type="checkbox"/> L					
61.	Difficulty remembering to stay or be on time <input type="checkbox"/> L					
Occipital Lobe (Area, 17, 18, and 19)		0	1	2	3	4
62.	Difficulty in discriminating similar shades of color					
63.	Dullness of colors in visual field					
64.	Difficulty coordinating visual inputs and hand movements, resulting in an inability to efficiently reach out for objects					
66.	Floater or halos in visual field					



Brain Region Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

Cerebellum - Spinocerebellum		0	1	2	3	4
67.	Difficulty with balance, or balance that is worse on one side					
68.	A need to hold the handrail or watch each step carefully when going down stairs					
69.	Feeling unsteady and prone to falling in the dark					
70.	Proness to sway to one side when walking or standing					
Cerebellum - Cerebrocerebellum		0	1	2	3	4
71.	Recent clumsiness in hands					
72.	Recent clumsiness in feet or frequent tripping					
73.	A slight hand shake when reaching for something at the end of movement					
Cerebellum - Vestibulocerebellum		0	1	2	3	4
74.	Episodes of dizziness or disorientation					
75.	Back muscles that tire quickly when standing or walking					
76.	Chronic neck or back muscle tightness					
77.	Nausea, car sickness, or sea sickness					
78.	Feeling of disorientation or shifting of the environment					
79.	Crowded places cause anxiety					
Basal Ganglia Direct Pathway		0	1	2	3	4
80.	Slowness in movements					
81.	Stiffness in your muscles (not joints) that goes away when you move					

KEY:

- 0 = I never have symptoms (0% of the time)
- 1 = I rarely have symptoms (Less than 25% of the time)
- 2 = I often have symptoms (Half of the time)
- 3 = I frequently have symptoms (75% of the time)
- 4 = I always have symptoms (100% of the time)

82.	Cramping of hands when writing					
83.	A stooped posture when walking					
84.	Voice has become softer					
85.	Facial expression changed leading people to frequently ask if you are upset or angry					
Basal Ganglia Indirect Pathway		0	1	2	3	4
86.	Uncontrollable muscle movements					
87.	Intense need to clear your throat regularly or contract a group of muscles					
88.	Obsessive compulsive tendencies					
89.	Constant nervousness and restless mind					
Autonomic Reduced Parasympathetic Activity		0	1	2	3	4
90.	Dry mouth or eyes					
91.	Difficulty swallowing supplements or large bites of food					
92.	Slow bowel movements and tendency for constipation					
93.	Chronic digestive complaints					
94.	Bowel or bladder incontinence resulting in staining your underwear					
Autonomic Increased Sympathetic Activity		0	1	2	3	4
95.	Tendency for anxiety					
96.	Easily startled					
97.	Difficulty relaxing					
98.	Sensitive to bright or flashing lights					
99.	Episodes of racing heart					
100.	Difficulty sleeping					



Brain Region Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please select yes or no.

Epileptiform Activity	Yes / No
Have you ever been diagnosed with a seizure disorder?	Yes / No
Have you ever been diagnosed with epilepsy?	Yes / No
Have you ever been told that you seemed frozen, absent, or tuned out at times without any recollection of the event?	Yes / No
Have you ever experienced sudden muscle stiffness and rigidity throughout your body?	Yes / No
Have you ever experienced sudden muscle jerks throughout your body?	Yes / No
Have you ever experienced a total loss of your muscle tone that lead to loss of control of your muscles or a fall?	Yes / No
Have you ever been told that you stare into space while you're lip smacking, chewing, or fidgeting that you are not aware of?	Yes / No
Do you ever experience sudden emotional responses such as anxiety, sadness, cry, or laugh for no real reason?	Yes / No
Do you ever experience sudden racing heart rate, sudden loss of bladder function, intestinal spasm, respiration, sweating, or any other sudden changes of function?	Yes / No
Do you ever experience sudden involuntary muscle contractures or jerks in any individual parts of your limbs or face?	Yes / No
Do you ever experience sudden involuntary head rotation and your eyes move forcefully to one side?	Yes / No
Do you ever experience sudden involuntary shift in your eyes to the side or upwards?	Yes / No
Do you ever experience sudden vocalization of random words or notice a sudden inability to speak?	Yes / No
Do you ever experience any spontaneous sensations of tingling, pins and needles" numbness, coldness, burning or other random sensations in any region of your body?	Yes / No
Do you ever experience a ringing sensation in your ears (tinnitus), sounds, or voices spontaneously?	Yes / No
Do you ever experience spontaneous perception of smells such as burning rubber, foul smells, or other odors without finding the source of the odor?	Yes / No
Do you ever experience flashing lights, stars, or jagged lines in your visual field?	Yes / No

SIGNATURE: _____

DATE: _____



Peripheral Nerve Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions and select which best fits for all of your answers.

NAME: _____

DATE: _____

Peripheral Nerves Intake		Yes	No	Pain Level													
				0	1	2	3	4	5	6	7	8	9	10			
1.	Do you have pain in your spine?	Yes	No														
2.	Do you have pain in your arms?	Yes	No														
3.	Do you have pain in your legs?	Yes	No														
4.	Do you have pain over your abdomen / torso?	Yes	No														
5.	Do you have weakness in your back?	Yes	No														
6.	Do you have weakness in your shoulders?	Yes	No														
7.	Do you have weakness in your hips or glutes?	Yes	No														
8.	Do you have weakness in your arms?	Yes	No		Mild		Moderate			Severe							
9.	Do you have weakness in your legs?	Yes	No		Mild		Moderate			Severe							
10.	Do you have weakness in your feet?	Yes	No		Mild		Moderate			Severe							
11.	Do you have weakness on one side of the body?	Yes	No		Mild		Moderate			Severe							
12.	Do you have cramping?	Yes	No		Mild		Moderate			Severe							
13.	Do you get weak with exercises or movement?	Yes	No		Mild		Moderate			Severe							
14.	Do your muscles cramp and freeze with movement?	Yes	No		Mild		Moderate			Severe							
15.	Do you have a loss in muscle size? Where: _____	Yes	No		Mild		Moderate			Severe							
16.	Have you noticed your muscles jumping? Where: _____	Yes	No		Mild		Moderate			Severe							
17.	Do you have weakness with your face?	Yes	No		Mild		Moderate			Severe							
18.	Do you have problems talking?	Yes	No		Mild		Moderate			Severe							
19.	Do you have problems swallowing?	Yes	No		Mild		Moderate			Severe							
20.	Do you have sensory loss or pain down your arm?	Yes	No		Mild		Moderate			Severe							
21.	Do you have sensory loss or pain down your leg?	Yes	No		Mild		Moderate			Severe							
22.	Do you have sensory loss on once side of the body?	Yes	No		Mild		Moderate			Severe							
23.	Do your have sensory loss over your shoulders?	Yes	No		Mild		Moderate			Severe							
24.	Do you have sensory loss with one arm or portion of the arm?	Yes	No		Mild		Moderate			Severe							
25.	Do you have sensory loss with one or both hands or a single finger? If so, which areas: _____	Yes	No		Mild		Moderate			Severe							
26.	Do you have bowel or bladder control issues?	Yes	No		Mild		Moderate			Severe							
27.	Do you have sensory loss over your abdomen or torso?	Yes	No		Mild		Moderate			Severe							
28.	Do you have pain or sensory loss over your hips?	Yes	No		Mild		Moderate			Severe							
29.	Do you have pain or sensory loss in one or both legs?	Yes	No		Mild		Moderate			Severe							
30.	Do you have sensory loss in your feet or a portion of your foot. If so where: _____	Yes	No		Mild		Moderate			Severe							
31.	Do you have sensory loss in your face? If so where: _____	Yes	No		Mild		Moderate			Severe							
32.	Do you have high arches?	Yes	No														
33.	Do you have hammertoes?	Yes	No														



Peripheral Nerve Localization Form

INSTRUCTIONS:


The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions and select which best fits for all of your answers.

NAME: _____

DATE: _____

Gait:		Yes	No	Pain Level		
1.	Do you fall frequently? How Often: _____	Yes	No			
2.	Do you have a hard time standing on your toes or heels?	Yes	No	Mild	Moderate	Severe
3.	Do you fall to one side?	Yes	No	Mild	Moderate	Severe
4.	Do you walk with your legs wide or far apart?	Yes	No	Mild	Moderate	Severe
5.	Do you waddle when you walk?	Yes	No	Mild	Moderate	Severe
6.	Do you have a hard time going up or down stairs?	Yes	No	Mild	Moderate	Severe
7.	Is one or both arms tight or spastic?	Yes	No	Mild	Moderate	Severe
8.	Is one or both of your legs spastic?	Yes	No	Mild	Moderate	Severe
9.	Do your feet slap when you walk?	Yes	No	Mild	Moderate	Severe
10.	Do you have to high step when you walk?	Yes	No	Mild	Moderate	Severe
11.	Do you shuffle when you walk?	Yes	No	Mild	Moderate	Severe
12.	Is it hard to start walking?	Yes	No	Mild	Moderate	Severe
13.	Is it hard to turn if you stop walking?	Yes	No	Mild	Moderate	Severe

DOCTOR USE ONLY:



SIGNATURE: _____

DATE: _____



Vestibular Localization Form

PART 1 INSTRUCTIONS: PATTERNS OF DIZZINESS

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please answer every question, do not skip any questions. Circle yes or no where asked.

NAME: _____

DATE: _____

Patterns of Dizziness	
How would you explain your dizziness:	
Lightheaded	Yes / No
Disorientation	Yes / No
False sense of motion that you are moving	Yes / No If yes, in which direction _____
False sense of motion the world is moving	Yes / No If yes, in which direction _____
Please describe your dizziness without using the word "dizzy":	
Are your dizziness symptoms (circle one): Recent (first episode) Reoccurring Chronic	
What is the typical duration of your symptoms (circle one)?	
A few seconds	Several seconds to a few minutes Several minutes to one hour Days Weeks
Do you have hearing loss with your vertigo?	Yes / No
Do you have any ringing in your ear with your vertigo?	Yes / No
Is there any correlation with timing of your symptoms and taking a new medication (aspirin, antibiotics, diuretics, etc.)?	Yes / No Maybe
Is there any correlation with timing of your symptoms and exposure to any environmental chemicals or toxins?	Yes / No Maybe
Can your symptoms of dizziness be reduced by visually fixating on a target?	Yes / No
Are your symptoms of dizziness worse in the dark?	Yes / No
Are there any other symptoms you experience besides false sense of motion? What? (ex. Nausea, anxiety, racing heart rate, etc.) _____	Yes / No
Is there anything that can aggravate your vertigo? What? _____	Yes / No
Does anything help your symptoms? What? _____	Yes / No
Do any of the following movements cause you to feel disorientated or dizzy?	
Turning to the right	Yes / No
Turning to the left	Yes / No
Suddenly stopping in a car or a plane landing	Yes / No
Suddenly starting to move forward in a car or plane	Yes / No
Looking out the window of a train or moving vehicle with your back facing the direction of movement	Yes / No
Looking out the window of a train or moving vehicle with your front facing the direction of movement	Yes / No
Moving side-to-side	Yes / No
Suddenly moving up or down on an elevator	Yes / No



Vestibular Localization Form

PART 2 INSTRUCTIONS: DIZZINESS SYNDROMES

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please select yes or no.

Perilymphatic Fistula and Superior Canal Dehiscence	
Did your dizziness start after trauma to your ear by sudden changes of pressure to your ear?	Yes / No
Did your dizziness start after heavy weight bearing or excessive straining with bowel movements?	Yes / No
Can sneezing, straining, or changes of pressure trigger your dizziness?	Yes / No
Can putting your head down to one side trigger your dizziness?	Yes / No
Can loud noises or sounds at times trigger your dizziness?	Yes / No
Have you started to notice your own voice much louder than before?	Yes / No
Have you notice any distortions of sensations of sound?	Yes / No
Benign Paroxysmal Positional Vertigo	
Can positional changes such as turning over in bed, bending over and then straightening up, or tilting your head trigger your symptoms?	Yes / No
Are your symptoms of dizziness prompted by eye or head movements and then decrease in less than one minute?	Yes / No
Does your dizziness become less noticeable each time you repeat the same movement?	Yes / No
Do your episodes of dizziness come in sudden and brief spells?	Yes / No
Vestibular Neuronitis	
Did your dizziness come on suddenly?	Yes / No
Did your dizziness start after a recent viral or bacterial infection?	Yes / No
Do you have a history of Herpes Zoster outbreaks?	Yes / No
Did your dizziness start during a period of exhaustion or weakened immune system?	Yes / No
Meniere's	
Do you notice a feeling of fullness in the ear or on the side of your head accompanying your episodes of dizziness?	Yes / No
Do you have episode of ringing in your ear accompanying your episodes of dizziness?	Yes / No
Have you experienced two or more episodes of vertigo lasting at least 20 minutes each?	Yes / No
Vestibular Migraine	
Do you experience flickering light spots (visual aura) before your episodes of dizziness or headaches?	Yes / No
Do you experience a throbbing headache before or after your episodes of dizziness?	Yes / No
Do you become extremely sensitive to light and sound before or after you episodes of dizziness?	Yes / No
Have you noticed your episodes of dizziness can be provoked by stress, low blood sugar levels, diet, chocolate, red wine, caffeine, cheeses or MSG?	Yes / No



Vestibular Localization Form

PART 3 INSTRUCTIONS: PREVIOUS DIAGNOSIS

The purpose of this questionnaire is to identify difficulties you may be experiencing.

Previous Diagnosis

Have you ever been diagnosed or suffered from with the following conditions (circle all that apply):

Benign Paroxysmal Positional Vertigo (BPPV)

Meniere's Disease

Ototoxicity

Otosclerosis

Tinnitus

Hearing Loss

Acoustic Neuroma

Stroke

Migraine

Transient Ischemic Attack (TIA)

Perilymphatic Fistula

Superior Canal Dehiscence

Endolymphatic hydrop

Autoimmune Inner Ear Disease

Cervicogenic Syndrome

Vestibulopathy

Cerebellum Disease

Cholesteatoma

Enlarged Vestibular aqueduct

Vestibular Neuritis or Labyrinthitis

Mal de Debarquement

Neurotoxicity

Trauma to your ear

Trauma to your head/brain

Concussion

NAME: _____

DATE: _____